

• **Features**

- **Powerful & bright 200 lumen output**
- **Weatherproof design is moisture & vibration resistant** for heavy duty & exterior applications
- **Includes** 18" of 3-wire shielded cable for installation

• **GHOST™ Multi-Mount (MM)**

- 3 Mounting options included:
 - Permanent Mount (screw mount)
 - Adhesive Mount - Super Duty Automotive Grade 3M Tape holds the light securely in place without drilling holes
 - Single or Dual Edge Mount Bracket that slips onto the edge of the hood, grille or trunk edges without requiring drill holes into the body of the vehicle
- Single Light in Black or White Housing colors

• **NEW! GHOST™ Recess Mount (RM)**

- Sleek, narrow style with a recess mount design
- Single Light in Black, Chrome or White housings
- Extends just 0.3" (8 mm) from body of the vehicle when installed

• **GHOST™ Surface Mount (SM)**

- Sleek, narrow design in surface mount design
- Single Light in Black, Chrome or White housings

• **GHOST™ Rock Light**

- Anti-crush, super duty Rock Bracket for the most demanding applications & environments
- Bracket offers up to 30° of adjustability to angle light head
- Single Light with Black powder coated Rock Bracket


| Tech Specs | GHOST™ Spot Lights |
|------------------|--|
| Flash Patterns: | None - Steady burn only |
| Lumen Output: | 200 Lumens |
| Technology: | 6 Gen3 LEDs |
| Mounting: | Multi-Mount: includes 3 mounting options Edge Mount, Permanent Mount & Adhesive Mount Recess, Surface Mount & Rock Bracket also available |
| Input Voltage: | 10 - 30 Vdc |
| Current Draw: | 0.45 amps max @ 12.8 Vdc 0.23 amps max @ 25.6 Vdc |
| Dimensions: | Width x Height x Depth Multi-Mount: 4" (10 cm) W x 0.9" (23 mm) H x 1.75" (44 mm) D Recess Mount: 4.7" (14 cm) W x 1.6" (28 mm) H x 1" (46 mm) D Surface Mount: 5.7" (14 cm) W x 1" (25 mm) H x 1.75" (44 mm) D Rock Light: 4.8" (12 cm) W x 2" (51 mm) H x 1.6" (41 mm) D |
| Operating Temp.: | -20° to +65° C / -68° to +149° F |



GHOST™ Spot Lights are compact yet powerful.



GHOST™ MM light edge mounted to the front bumper of a large truck to offer additional white lighting.



GHOST™ MM spot lights edge mounted in the grille of a Ford F-250 work truck (white housing warning light also shown).




Two GHOST™ Rock Spot Lights mounted to an ATV offer a distinct bright white spot light.



Heavy duty, anti-crush bracket makes the GHOST™ Rock Spot Light perfect for extreme mounts.





GHOST™ Spot Lights

GHOST™ Spot Lights are the newest addition to our White Illumination product line with ultra powerful & bright white LEDs in a compact sized light. Versatile light with many mounting options; Permanent Mount, Single & Dual Edge Mounts, Adhesive Mount, Recess Mount, Surface Mount, and a heavy duty Rock Bracket option.

GHOST MM SPOT LIGHT

Black Housing #EGHSTS1W
White Housing #EGHSTS1WW



Light includes 3 mounting options: Permanent Mount, Edge Mount & Adhesive Mount.

Permanent Mount



Single Edge Mount Bracket



3M Super Duty Adhesive Mount



NEW!



GHOST RM SPOT LIGHT

Black Housing #EGHSTS5WB
Chrome Housing #EGHSTS5WC
White Housing #EGHSTS5WW



GHOST SM SPOT LIGHT

Black Housing #EGHSTS2W
Chrome Housing #EGHSTS2WC
White Housing #EGHSTS2WW



GHOST ROCK SPOT LIGHT

Black Housing #EGHSTS3W
Rock Bracket (only) #PGHSTRLK

Severe Duty Rock Bracket

Mighty Night Light



Standard or
15° Forward Lens

Standard Lens

#EAUSSMBØSWC

15° Forward Facing Lens


#EAUSSMBØAWC

45° Flood Lens


#EAUSSMBØFWC

45° Flood Lens


Standard Lens



15° Forward Lens



45° Flood Lens



- **Mighty Night Light is high powered white LED spot light** with a compact size that allows you to use it anywhere you have restricted space such as push bumpers, around the license plate - surface mount installation
- **Powerful & bright 330 lumen output**
- **Ideal for a Push Bumper Alley Light on police cars**
- **3 Output Lenses Available:** Standard lens, 15° Forward lens or a 45° Flood lens
- **Can be mounted vertically or horizontally**
- **High density, ultra powerful, multi-chip LED module**
- **Durable with a die cast aluminum housing**
- **Tough Lexan polycarbonate lens**
- **Includes** attached Molex Connector, Mounting Gasket with Mounting Hardware & approx. 35" of shielded cable for hard wire installation



| Tech Specs | Mighty Night Light™ |
|------------------|---|
| Flash Patterns: | None, steady burn only |
| Lumen Output: | 330 Lumens |
| Technology: | 4 diode multi-chip Gen3 LED |
| Mounting: | Surface Mount on 3.5" (89 mm) centers |
| Input Voltage: | 10 - 30 Vdc |
| Current Draw: | 0.65 amps @ 12.8 Vdc |
| Dimensions: | Width x Height x Depth 2.8" (71 mm) W x 4.1" (10 cm) H x 1.3" (33 mm) D |
| Operating Temp.: | -40° to +65° C / -104° to +149° F |



LED3

MINI WHITE SPOT LIGHT

10-16 Vdc #EL3SSCW

10-30 Vdc #EL3SS3ØCW



- **High powered, versatile surface mount**
- **Bright white 100 lumen output**
- **Compact size - our smallest light**
- **Many versatile mounting options** with optional brackets & bezels for any vehicle & any mount
- **High quality, high bin LEDs** for consistent & pure color with reliable output
- **Black powder coated aluminum housing**
- **Durable Lexan polycarbonate lens**
- **Weatherproof design with superior reliability & performance** regardless of weather conditions
- **Includes** Rubber Mounting Gasket, Mounting Hardware & 18" of 3-Wire Shielded Cable



| Tech Specs | LED3™ Mini Spot Light |
|------------------|--|
| Flash Patterns: | None, steady burn only |
| Lumen Output: | 100 Lumens |
| Technology: | 3 Gen3 LEDs |
| Mounting: | Surface Mount on 2.2" (56 mm) centers |
| Input Voltage: | 10 - 16 or 10 - 30 Vdc |
| Current Draw: | less than 0.4 amps @ 12.8 Vdc |
| Dimensions: | Length x Height x Depth 2.5" (64 mm) L x 1.4" (35 mm) H x 1.2" (32 mm) D |
| Operating Temp.: | -40° to +65° C / -104° to +149° F |



LED3™ Mini Warning Light, see page 36

*All bezels available in Black, Chrome or White: (x)=B, C or W.

Spot Lights - Mighty Night Light™ & LED3™ Mini

1.800.338.7337 / www.soundoffsignal.com

Soundoff
Signal